

Simple, Effortless, Intelligent.



Professional Colour Laser Printer

HL-L9470CDN



PRINT



OPTIONAL
WIRELESS



3 YEAR RTB
WARRANTY

www.brother.com.au

Simple, Effortless, Intelligent.

The HL-L9470CDN will make the right impression when it counts with professional colour outputs, impressive scalability, and a robust design that supports printing for longer. Combined with fast print speeds, high-yield toners and flexible connectivity options - high-volume printing has never been so efficient.

HL-L9470CDN



Key Features:

- Print up to 40ppm⁷
- 2-sided (duplex) print up to 20ppm
- 8.76cm colour touchscreen LCD
- Gigabit network and NFC for secure authentication and mobile printing
- Optional 2.4/5GHz Wi-Fi module
- Integrate third-party software for a tailored print management system
- 520-sheet paper input tray expandable to 2,700 sheets via additional paper trays
- 12,000 page (BK), 9,000 page (C/M/Y) in-box toners¹⁰



When quality and performance work together

The HL-L9470CDN will make the right impression when it counts with vibrant, professional colour outputs. Combined with fast 2-sided (duplex) printing up to 20ppm⁷, advanced built-in features and a robust design that's built to last - high-volume printing has never been so efficient.



Complete customisation

With sophisticated, built-in functionality including identity management and access controls as standard, easily customise and automate complex workflows with the touch of a button. You can also integrate your device with third-party solutions that can optimise workflows with minimal downtime. Contact our team to [find out more](#).



Designed to print for longer

The robust design and long-life components ensures that it will keep on performing without interruption. With the high-yield toners in-box that can print up to 12,000¹⁰ pages in black and 9,000² in colour, and components with double the service life, including the belt, engine, and drum unit – you can be confident that it will keep up with the demands of a busy office.



Flexible connectivity options

Connect your way with gigabit network and NFC as standard for secure authentication and mobile printing. You can also take advantage of the optional 2.4/5GHz Wi-Fi module for added convenience.



Impressive scalability

Engineered to fit into your workspace and meet specific printing requirements, the HL-L9470CDN can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this device means that it can expand its paper handling from 520 sheets to 2,700 pages by adding optional paper trays.



At your side support

Wherever you are in Australia, Brother offers free customer care for the lifetime of your product.

General		Printer	
Engine	Colour Laser	Print Speed ⁷	Up to 40 ppm Mono Up to 40 ppm Colour
CPU Speed	800MHz	Standard Memory	
Carton Contents	Printer, Quick Setup Guide, User's Guide, CD-ROM (Windows), Power Cord, Black Toner High Yield (TN851XLBK) Up to 12,000 pages (10), Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages (10), Belt Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job)(BU800CL). Waste Toner Box: Up to 100,000 pages (WT800CL), Drum Unit: Up to 30,000 pages (1-page per job), Up to 100,000 pages (3-page per job) (DR621CL)	2-Sided (duplex) Print Speed ⁷	Up to 40/40 ipm or 20/20 ppm (Mono/Colour, based on ISO/IEC 24734)
Display		2-Sided (duplex) Print	Yes (Automatic)
LCD Display	8.9cm Colour LCD (Touchscreen)	Emulation	PCL5e, PCL5c, PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7, XPS Version 1.0
LED Display	Green x 1 (Power)	Printer Resolution	600 x 600dpi, 2400dpi (2400 x 600) quality
Control Panel		Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2 Mac OS X 10.14 - 10.15, macOS 11-12 ³ Linux CUPS, LPD/LPRng (x86/x64 environment) Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6
Control Panel Switches	Cancel, Back, Home, Power On/Off		

First Print Out Time ⁸	Less than 10 secs Mono/Colour (From Ready mode and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	BRAdmin Professional ¹	Windows only ¹
Warm Up Time	Less than 20 sec from Sleep, Less than 55 sec from Power On	Email Alerts	E-mail Notification and E-mail Reports
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI	Store Print Log to Network ²	User level usage data recorded to either a text or csv file direct to a network folder
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts	Driver Deployment Wizard ¹	Windows Only
Resident Font BR-Script 3	66 scalable fonts	Mobile/Web Printing	
Resident Font PCL	73 scalable fonts, 12 bitmap fonts, 16 bar codes	iPrint&Scan ¹	Windows/Mac (Print only)
Quiet Mode ²	A mode to reduce the printing noise by reducing the print speed	Universal Print	Allows you to manage your printer fleet through cloud services from Microsoft without installing any additional software
Direct USB	Yes - Print	Mobile Connect	Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features (iOS & Android)
USB Host	Yes (Front or Rear)	Android Print Service Plugin	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi network
Digital-Media Spec	USB Memory Drive (Individual files no larger than 2GB). External drive must be exFAT formatted	AirPrint	Print most common file types from any Apple AirPrint enabled application
Digital-Media Format	PDF version1.7, JPEG, Exif+JPEG, PRN (created by own printer driver), TIFF (MH, scanned by Brother model), XPS Version 1.0	Mopria ¹	Print most common file types from Mopria™ supported Android devices
Connectivity		Google ChromeOS	Print from your Chromebook with most printers that connect to Wi-Fi or a wired network
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, NFC, (Optional 2.4/5GHz Wi-Fi)	Web Connect ⁶	Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoint Online
USB Interface	Hi-Speed USB 2.0	Software	
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet	Software Included	Windows: iPrint&Scan ¹ , Status Monitor, BRAdmin Light ¹ , BRAdmin Professional ¹ , Driver Deployment Wizard ¹ Mac: iPrint&Scan ¹ , Status Monitor
Wireless Interface	2.4GHz: IEEE 802.11b/g/n, 5GHz: IEEE 802.11a/n	Kofax	Yes
Wireless Mode	2.4GHz: IEEE 802.11b/g/n (Infrastructure Mode mode), 5GHz: IEEE 802.11a/n (Infrastructure Mode mode)	YSoft	Yes
Wireless Setup Support Utility	With Optional Card: Wi-Fi Protected Setup (WPS)	Manual Duplex	The machine prints all the even-numbered pages on one side of the paper first. Then, the printer driver instructs you (with a pop-up message) to reinsert the paper to print the odd-numbered pages.
Wi-Fi Direct	2.4GHz: IEEE 802.11g/n, 5GHz: IEEE 802.11a/n	Cerner Certified	Yes
NFC	Integrated NFC Reader Supported for printing and scanning. NFC standards include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire my-d move, Tag-it (ISO15693 Type B)	Watermark Printing ²	Windows Only
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLmNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTTP client, LDAP	Archive Printing ²	Windows Only
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLmNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTTP Client, LDAP	Header and Footer Printing ²	Windows Only
Security		N-up Printing ³	2, 4, 9, 16, 25 in 1 page (Windows), 2, 4, 6, 9, 16 in 1 page (Mac)
Active Directory Authentication	Restrict the use of your Brother device. The device's control panel will be locked	Poster Printing ²	1 in 2x2, 3x3, 4x4, 5x5 (Windows Only)
LDAP	Integrate with a directory server to look up contacts and e-mail addresses	Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2 macOS 10.14 - 12 ⁴ Linux CUPS, LPD/LPRng (x86/x64 environment) Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6
Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices	Printer Driver Functions	Windows: Poster, N in 1, Header-Footer, Watermark, Duplex, Secure Print, Toner Save Mode Mac: N in 1, Duplex, Secure Print, Toner Save
Wireless Security Protocols	With Optional Card: WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), Wi-Fi Direct supports WPA2-PSK (AES) only.	Secure Print ³	Windows / Mac
Wireless Certification	With Optional Card: Wi-Fi Certification Mark License (WPA/WPA2 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct	Paper Handling⁴	
IPv4-Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)	Standard Paper Capacity	Up to 520 sheets
Secure Function Lock	Version 3, 200 users	Multi-Purpose Tray Capacity	Up to 100 sheets / 15 envelopes
Network Management Utilities		Optional Paper Tray ¹¹	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL) x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets (LT-340CL) x 1 (Max. 1,000 sheets) or 500 sheets x 4 cassettes (TT-4000),(TC-4100) Connecting Adaptor required)
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management Linux: Web Base Management	Envelopes Input	Up to 15 envelopes face down (MP tray only) output via rear
Web Based Management	Web based print management software embedded onto the device	Output Paper Capacity	Up to 250 sheets face down (80gsm) 1 sheet face-up (straight paper path)
		Media Size Paper Tray	A4, Letter, B5(ISO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K
		Media Size Paper Tray (Option)	A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), 16K
		Media Size MP Tray	Width 76.2 to 215.9 mm, Length 127 to 355.6 mm, Envelope; COM-10, DL, C5, Monarch

Media Size Duplex	A4, Letter, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio	Optional Storage Device	USB Memory Stick Included
Media Types Paper Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper	Optional Mailbox	Mailbox (MX-4000) 100 sheets x 4 bins or 400 sheets x 2 bins (80gsm)
Media Types Paper Tray (Option)	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper	Optional Stabilizer	Tower Tray (TT-4000) - Requires Connector (TC-4100)
Media Types MP Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper	Weights & Measurements	
Media Types Duplex	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Glossy Paper	Size	442(W) x 541(D) x 403(H)mm
Media Weights Paper Tray	60 - 230 gsm	Weight	22.8 Kg without consumables
Media Weights Paper Tray (Option)	60 - 105 gsm	Size with Carton	557(W) x 628(D) x 633(H)mm
Media Weights MP Tray	60 - 230 gsm	Weight with Carton	34.2 Kg with consumables
Media Weights Duplex	60 - 105 gsm	Environment	
Media Low or Out Sensor	Yes for both Standard and Optional Lower trays	Sleep Mode	Yes (0-50 min)
Media Output Sensor	When the output paper tray is full	Power Consumption	Peak: Average 770W, Ready: Average 85W, Sleep: 15.6W, Deep Sleep: 1W, Power Off: 0.04W
Consumables		TEC Value	0.662 kWh/Week
Consumables	Black Toner Standard Yield (TN851BK) Up to 9,000 pages* Colour Toner Standard Yield (TN851C/TN851M/TN851Y) Up to 6,500 pages* Black Toner High Yield (TN851XLBK) Up to 12,000 pages* Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages* Black Toner Super High Yield (TN851XXLBK) Up to 15,000 pages* Colour Toner Super High Yield (TN851XXLC/TN851XXLM/TN851XXLY) Up to 12,000 pages* Belt Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job)(BU800CL) Waste Toner Box: Up to 100,000 pages (WT800CL) Drum Unit: Up to 100,000 pages (3-page per job), Up to 30,000 pages (1-page per job) (DR851CL) *In accordance with ISO/IEC 19798	Noise Level	Sound Pressure Level: (Printing) Less than 55 dBA, (Ready) 17.2 dB(A) Sound Power Level: (Printing) Less than 6.87B, (Ready) 3.02B(A)
Options		Temperature	Operating: 10 - 32°C Storage: 0 - 40°C
Optional Warranty ¹²	1,2,3 Years Onsite	Humidity	Operating: 20 - 80%, Storage: 10 - 90%
Optional Network Interface ¹²	Wireless 2.4Ghz / 5Ghz (NC-9000w)	Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Options (ALL)	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL) x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets (LT-340CL) x 1 (Max. 1,000 sheets) or Tower Tray - 500 sheets x 4 cassettes (TT-4000) with TC-4100 Mailbox (MX-4000)-100 sheets x 4 bins or 400 sheets x 2 bins Wireless 2.4Ghz / 5Ghz (NC-9000w)	Power Save	This enables the printer to consume less energy when not in use
		Others	
		Recommended Monthly Print Volume ⁵	1,000 to 15,000 pages
		Warranty	3-year return-to-base
		Carton Contents	Printer, Quick Setup Guide, User's Guide, CD-ROM (Windows), Power Cord, Black Toner High Yield (TN851XLBK) Up to 12,000 pages*, Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages*, Belt Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job)(BU800CL), Waste Toner Box: Up to 100,000 pages (WT800CL), Drum Unit: Up to 30,000 pages (1-page per job), Up to 100,000 pages (3-page per job) (DR821CL) *In accordance with ISO/IEC 19798
		Footer	*Declared yield value in accordance with ISO/IEC 19798, ¹ Download from Brother Solutions Centre, ² Windows only, ³ Windows & Apple Macintosh only, ⁴ Via Airprint or iPrint&Scan

1. Download from Brother Solutions Centre
2. Windows only
3. Windows/Mac
4. Capacity calculated with 80g/m² paper
5. The recommended monthly print volume is to achieve the best possible performance and printer life
6. Must be connected to the internet
7. Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
8. FPOT (First Print Out Time) based on ISO/IEC 17629
9. Scan speeds based on ISO/IEC 17991
10. Approx. declared yield value in accordance with ISO/IEC 19798
11. Purchase optional tray required
12. Purchase optional network module required
13. Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

